




# MainSpring - Parks/Salyer Plan View March 19, 2024







- March 19 Press Release
- Assays Pending
- Previously Released




Grade Thickness = CuT % x Vertical Thickness (ft). Grade thickness calculations include the entire assayed mineralization package down hole  
 No grade cutoffs or grade capping has been applied




# Oblique View Looking West to MainSpring - Parks/Salyer March 19, 2024



# View Looking West at MainSpring - Parks/Salyer March 19, 2024



# MainSpring - Parks/Salyer A-A' Cross Section March 19, 2024




20.0 ft @ 0.25% CuT, 0.22% Cu TSol

256.0 ft @ 0.51% CuT, 0.44% Cu TSol  
Incl. 98.2 ft @ 0.95% CuT, 0.87% Cu TSol

37.0 ft @ 0.12% CuT, 0.08% Cu TSol  
And 15.5 ft @ 0.70% CuT, 0.67% Cu TSol  
And 63.6 ft @ 0.25% CuT, 0.20% Cu TSol




19.6 ft @ 0.43% CuT, 0.42% Cu TSol  
And 26.9 ft @ 0.58% CuT, 0.051% Cu TSol

164.0 ft @ 0.14% CuT, 0.002% Mo





# MainSpring - Parks/Salyer Extension of Mineralization *View March 19, 2024*



# ECM-209 Oxide: Fracture Controlled Chrysocolla in Diabase



**3.45% CuT**  
**3.12% Cu TSol**  
**0.001% Mo**

**8.5 ft Interval**  
**362 ft – 370 ft**  
 (2.6 m, 110.3 m – 112.9 m)

Within:  
 0.51% CuT  
 0.44% Cu TSol  
 0.001% Mo

**256 ft interval**  
**288 ft – 544 ft**  
 (78 m, 87.8 m – 172.5 m)



# ECM-198 Primary: Disseminated Chalcopyrite and Pyrite in Brecciated MP



**0.38% CuT**  
**0.006% Mo**

**10 ft Interval**  
**1,970 ft – 1,980 ft**  
(3.0 m, 600.5 m – 603.5 m)

Within:  
0.45% CuT  
0.001% Mo

882 ft interval of continuous mineralization  
1,373 ft – 2,256 ft  
(269 m, 419 m – 687.6 m)

# ECM-198 Oxide: Fracture Controlled Chrysocolla in Mixed Breccia



**1.34% CuT**  
**1.33% Cu TSoI**  
**0.028% Mo**


**2.4 ft Interval**  
**1,131 ft – 1,133.4 ft**  
 (1.0 m, 170.1 m – 171.1 m)

Within:  
 0.34% CuT  
 0.29% Cu TsoI  
 0.03% Mo

62.4 ft interval  
 1,071 ft – 1,133.4 ft  
 (25.6 m, 170.1 m – 195.7 m)



# ECM-199 Enriched: Vein hosted Chalcocite in Fault Breccia



**3.52% CuT**  
**3.51% Cu TSoI**  
**0.004% Mo**

**3.3 ft Interval**  
**558 ft – 561.3 ft**  
 (1.0 m, 170.1 m – 171.1 m)

Within:

0.44% CuT  
 0.42% Cu TsoI  
 0.001% Mo

84 ft interval  
 558 ft – 642 ft  
 (25.6 m, 170.1 m – 195.7 m)

# ECM-200 Enriched: Disseminated Chalcocite in Fault Breccia



**2.09% CuT**  
**2.00% Cu TSol**  
**0.001% Mo**

**9.3 ft Interval**  
**642 ft – 651 ft**  
(2.8 m, 195.7 m – 198.4 m)

Within:  
0.40% CuT  
0.27% Cu TSol  
0.001% Mo

170 ft interval  
637 ft – 807 ft  
(51.8 m, 194.2 m – 246.0 m)



# ECM-201 Enriched: Disseminated Chalcocite in Brecciated Granite



**1.14% CuT**  
**1.14% Cu TSol**  
**0.002% Mo**

**10.7 ft Interval**  
**686 ft – 697 ft**  
 (3.1 m, 209.1 m – 212.4 m)

Within:  
**0.58% CuT**  
**0.51% Cu TSol**  
**0.01% Mo**

**88.4 ft interval**  
**618.6 ft – 707 ft**  
 (26.9 m, 188.4 m – 215.5 m)