

ASCU Press Release (February 11, 2026)

Parks/Salyer FS Drill Program [See Notes 1 and 2 below]

HoleID	Zone	Feet			Meters			CuT	Cu Tsol	Mo
		from	to	length	from	to	length	%	%	%
ECM-413	enriched	702.3	749.0	46.7	214.1	228.3	14.2	1.88	1.87	0.006
	enriched	809.7	1078.4	268.7	246.8	328.7	81.9	0.49	0.44	0.004
	including	809.7	868.0	58.3	246.8	264.6	17.8	0.97	0.90	0.008
	primary	1078.4	1749.0	670.6	328.7	533.1	204.4	0.24	0.04	0.009
	including	1402.0	1448.0	46.0	427.3	441.4	14.0	0.35	0.02	0.017
	and	1604.0	1674.0	70.0	488.9	510.2	21.3	0.42	0.03	0.008
	and	1714.0	1744.0	30.0	522.4	531.6	9.1	0.36	0.03	0.025
ECM-414	oxide	558.0	598.8	40.8	170.1	182.5	12.4	0.45	0.38	0.002
	enriched	702.3	980.0	277.7	214.1	298.7	84.6	0.28	0.28	0.003
	including	702.3	752.0	49.7	214.1	229.2	15.1	0.58	0.57	0.003
	enriched	1028.7	1294.3	265.6	313.5	394.5	80.9	0.86	0.51	0.055
	primary	1294.3	1981.1	686.8	394.5	603.8	209.3	0.44	0.03	0.021
	including	1294.3	1447.0	152.7	394.5	441.0	46.5	1.04	0.07	0.073
ECM-415	enriched	637.0	733.0	96.0	194.2	223.4	29.3	0.46	0.45	0.001
	enriched	909.0	979.0	70.0	277.1	298.4	21.3	0.17	0.13	0.001
ECM-416	enriched	628.0	813.0	185.0	191.4	247.8	56.4	0.77	0.75	0.010
	including	631.7	672.0	40.3	192.5	204.8	12.3	1.19	1.17	0.010
	and	770.1	803.4	33.3	234.7	244.9	10.1	1.19	1.18	0.002
	enriched	849.0	968.0	119.0	258.8	295.0	36.3	0.42	0.41	0.004
	including	947.0	968.0	21.0	288.6	295.0	6.4	0.83	0.82	0.006
ECM-417	enriched	449.0	500.0	51.0	136.9	152.4	15.5	0.16	0.16	0.003
	enriched	552.5	610.0	57.5	168.4	185.9	17.5	0.49	0.48	0.001
	enriched	645.8	811.0	165.2	196.8	247.2	50.4	0.25	0.25	0.002
	including	645.8	679.0	33.2	196.8	207.0	10.1	0.42	0.42	0.001
	and	699.0	724.0	25.0	213.1	220.7	7.6	0.63	0.63	0.001
	enriched	906.0	926.0	20.0	276.1	282.2	6.1	0.12	0.11	0.001
ECM-418	enriched	753.0	965.0	212.0	229.5	294.1	64.6	0.40	0.38	0.015
ECM-419	oxide	477.0	517.0	40.0	145.4	157.6	12.2	0.20	0.18	0.005
	enriched	636.8	708.0	71.2	194.1	215.8	21.7	0.57	0.55	0.007
	including	654.5	684.0	29.5	199.5	208.5	9.0	0.88	0.86	0.005
	enriched	772.3	832.6	60.3	235.4	253.8	18.4	0.50	0.48	0.007
	enriched	902.4	958.0	55.6	275.1	292.0	16.9	0.70	0.68	0.005
ECM-420	oxide	148.0	181.0	33.0	45.1	55.2	10.1	0.18	0.08	0.001
	enriched	580.7	640.7	60.0	177.0	195.3	18.3	0.60	0.57	0.003
	including	615.0	640.7	25.7	187.5	195.3	7.8	0.98	0.94	0.001
	enriched	678.9	798.0	119.1	206.9	243.2	36.3	0.30	0.29	0.002
	enriched	862.8	893.0	30.2	263.0	272.2	9.2	0.13	0.12	0.002
	enriched	953.0	985.0	32.0	290.5	300.2	9.8	0.15	0.14	0.001
ECM-421	oxide	426.0	478.2	52.2	129.8	145.8	15.9	0.22	0.21	0.003
	enriched	648.6	716.6	68.0	197.7	218.4	20.7	1.07	0.99	0.004

	enriched	801.0	978.9	177.9	244.1	298.4	54.2	0.34	0.32	0.004
	including	845.0	867.9	22.9	257.6	264.5	7.0	0.66	0.63	0.002
ECM-422	oxide	295.0	315.0	20.0	89.9	96.0	6.1	0.16	0.15	0.003
	enriched	522.6	780.2	257.6	159.3	237.8	78.5	0.35	0.34	0.002
	including	522.6	553.0	30.4	159.3	168.6	9.3	0.54	0.53	0.003
	and	583.0	623.0	40.0	177.7	189.9	12.2	0.60	0.59	0.004
	and	651.8	692.5	40.7	198.7	211.1	12.4	0.57	0.55	0.001
	enriched	902.0	954.0	52.0	274.9	290.8	15.8	0.13	0.12	0.002
ECM-423	enriched	372.5	512.0	139.5	113.5	156.1	42.5	0.61	0.59	0.003
	enriched	547.0	580.5	33.5	166.7	176.9	10.2	0.68	0.67	0.003
	enriched	631.0	708.0	77.0	192.3	215.8	23.5	0.44	0.42	0.002
ECM-424	enriched	437.0	467.0	30.0	133.2	142.3	9.1	0.68	0.66	0.005
	enriched	559.4	965.0	405.6	170.5	294.1	123.6	0.33	0.32	0.005
	including	598.5	668.0	69.5	182.4	203.6	21.2	0.88	0.84	0.006
ECM-425	enriched	543.2	721.0	177.8	165.6	219.8	54.2	0.32	0.32	0.002
ECM-426	oxide	453.0	473.0	20.0	138.1	144.2	6.1	0.42	0.40	0.005
	enriched	634.6	799.6	165.0	193.4	243.7	50.3	0.53	0.53	0.004
	including	634.6	675.0	40.4	193.4	205.7	12.3	1.04	1.03	0.003
	enriched	838.0	920.1	82.1	255.4	280.4	25.0	0.54	0.53	0.004
	including	858.0	891.3	33.3	261.5	271.7	10.1	0.96	0.93	0.003
ECM-427	enriched	649.0	782.0	133.0	197.8	238.4	40.5	0.22	0.21	0.001
	including	652.0	672.0	20.0	198.7	204.8	6.1	0.68	0.68	0.001
	enriched	919.0	960.0	41.0	280.1	292.6	12.5	0.11	0.08	0.002
ECM-428	oxide	138.0	181.8	43.8	42.1	55.4	13.4	1.03	0.93	0.001
	enriched	340.0	360.0	20.0	103.6	109.7	6.1	0.14	0.13	0.004
	enriched	488.7	600.0	111.3	149.0	182.9	33.9	0.28	0.27	0.005
	enriched	630.7	709.0	78.3	192.2	216.1	23.9	0.21	0.20	0.001
	enriched	748.0	778.0	30.0	228.0	237.1	9.1	0.18	0.17	0.001
	enriched	956.0	986.0	30.0	291.4	300.5	9.1	0.11	0.09	0.001
ECM-429	oxide	485.0	523.0	38.0	147.8	159.4	11.6	0.20	0.19	0.005
	enriched	607.0	720.0	113.0	185.0	219.5	34.4	0.30	0.28	0.003
	enriched	825.0	975.0	150.0	251.5	297.2	45.7	0.76	0.75	0.008
	including	825.0	872.6	47.6	251.5	266.0	14.5	1.59	1.57	0.005
ECM-430	enriched	426.4	481.7	55.3	130.0	146.8	16.9	0.64	0.60	0.003
	enriched	516.5	701.8	185.3	157.4	213.9	56.5	0.20	0.20	0.003
	including	516.5	568.0	51.5	157.4	173.1	15.7	0.34	0.33	0.005
	enriched	750.0	798.0	48.0	228.6	243.2	14.6	0.10	0.10	0.002
	enriched	858.0	886.0	28.0	261.5	270.1	8.5	0.12	0.12	0.002
ECM-431	oxide	398.0	471.0	73.0	121.3	143.6	22.3	0.21	0.18	0.004
	enriched	622.0	710.6	88.6	189.6	216.6	27.0	0.51	0.50	0.003
	enriched	740.5	850.0	109.5	225.7	259.1	33.4	0.31	0.30	0.004
	enriched	908.8	929.0	20.2	277.0	283.2	6.2	0.74	0.73	0.010
ECM-432	enriched	594.5	772.0	177.5	181.2	235.3	54.1	0.23	0.23	0.002
ECM-433	enriched	429.0	628.0	199.0	130.8	191.4	60.7	0.50	0.49	0.003

	including	484.1	578.0	93.9	147.6	176.2	28.6	0.81	0.80	0.002
	enriched	664.0	788.0	124.0	202.4	240.2	37.8	0.23	0.23	0.003
	including	708.0	738.0	30.0	215.8	224.9	9.1	0.43	0.42	0.005
ECM-434	enriched	498.0	545.0	47.0	151.8	166.1	14.3	0.62	0.60	0.002
	enriched	610.1	704.0	93.9	186.0	214.6	28.6	0.31	0.31	0.003
ECM-435	oxide	298.0	350.5	52.5	90.8	106.8	16.0	0.46	0.42	0.002
	enriched	576.0	706.0	130.0	175.6	215.2	39.6	0.36	0.35	0.003
	including	621.7	642.0	20.3	189.5	195.7	6.2	1.04	1.01	0.002
	enriched	737.0	818.0	81.0	224.6	249.3	24.7	0.27	0.27	0.006
ECM-436	enriched	496.0	524.8	28.8	151.2	160.0	8.8	0.28	0.26	0.001
	enriched	566.0	702.0	136.0	172.5	214.0	41.5	0.32	0.30	0.002
ECM-437	enriched	499.6	552.7	53.1	152.3	168.5	16.2	0.62	0.62	0.001
	enriched	588.0	615.1	27.1	179.2	187.5	8.3	0.25	0.24	0.004
	enriched	674.0	798.0	124.0	205.4	243.2	37.8	0.17	0.17	0.003
	including	684.0	713.0	29.0	208.5	217.3	8.8	0.37	0.37	0.006
	enriched	878.0	960.0	82.0	267.6	292.6	25.0	0.18	0.17	0.002
ECM-438	enriched	437.8	608.0	170.2	133.4	185.3	51.9	0.28	0.26	0.002
	including	512.0	583.0	71.0	156.1	177.7	21.6	0.51	0.48	0.002
	enriched	721.7	752.0	30.3	220.0	229.2	9.2	0.21	0.20	0.001
ECM-439	enriched	499.6	758.0	258.4	152.3	231.0	78.8	0.30	0.29	0.003
	including	598.0	638.0	40.0	182.3	194.5	12.2	0.76	0.75	0.006
	enriched	841.8	924.0	82.2	256.6	281.6	25.1	0.17	0.17	0.002
ECM-440	enriched	454.0	646.5	192.5	138.4	197.1	58.7	0.17	0.17	0.002
	including	478.9	503.0	24.1	146.0	153.3	7.3	0.47	0.46	0.002
	and	598.0	636.0	38.0	182.3	193.9	11.6	0.29	0.28	0.003
ECM-441	enriched	418.0	451.2	33.2	127.4	137.5	10.1	0.21	0.20	0.003
	enriched	515.0	535.0	20.0	157.0	163.1	6.1	0.66	0.65	0.006
	enriched	568.7	738.0	169.3	173.3	224.9	51.6	0.34	0.33	0.002
	including	629.6	668.0	38.4	191.9	203.6	11.7	0.66	0.65	0.001
	enriched	868.0	944.4	76.4	264.6	287.9	23.3	0.10	0.10	0.002
ECM-442	oxide	138.0	192.9	54.9	42.1	58.8	16.7	0.41	0.36	0.001
	enriched	536.5	587.0	50.5	163.5	178.9	15.4	0.16	0.15	0.002
	enriched	617.0	673.0	56.0	188.1	205.1	17.1	0.21	0.21	0.003
	enriched	703.0	813.0	110.0	214.3	247.8	33.5	0.12	0.12	0.003
ECM-443	enriched	402.0	445.2	43.2	122.5	135.7	13.2	0.84	0.83	0.007
	enriched	521.4	636.0	114.6	158.9	193.9	34.9	0.57	0.56	0.003
	including	567.0	587.0	20.0	172.8	178.9	6.1	1.11	1.10	0.003
	enriched	781.0	802.8	21.8	238.0	244.7	6.6	0.16	0.16	0.003
ECM-444	enriched	533.5	561.9	28.4	162.6	171.3	8.7	0.68	0.64	0.001
	enriched	639.0	696.4	57.4	194.8	212.3	17.5	0.20	0.18	0.001
	primary	696.4	751.0	54.6	212.3	228.9	16.6	0.14	0.01	0.001
ECM-445	oxide	219.0	239.0	20.0	66.8	72.8	6.1	0.21	0.11	0.001
	enriched	391.0	725.0	334.0	119.2	221.0	101.8	0.30	0.29	0.003
	including	466.8	489.7	22.9	142.3	149.3	7.0	0.51	0.49	0.002

	and	505.6	556.5	50.9	154.1	169.6	15.5	0.50	0.48	0.004
	and	569.4	620.0	50.6	173.6	189.0	15.4	0.47	0.45	0.002
ECM-446	enriched	518.0	617.0	99.0	157.9	188.1	30.2	0.29	0.29	0.001
	including	518.0	538.0	20.0	157.9	164.0	6.1	0.45	0.44	0.001
	enriched	727.0	759.5	32.5	221.6	231.5	9.9	0.11	0.07	0.001
ECM-447	oxide	137.6	159.8	22.2	41.9	48.7	6.8	0.39	0.37	0.003
	enriched	419.4	452.5	33.1	127.8	137.9	10.1	0.17	0.17	0.002
	enriched	481.0	568.0	87.0	146.6	173.1	26.5	0.33	0.33	0.001
	enriched	598.0	718.0	120.0	182.3	218.8	36.6	0.12	0.12	0.001
	primary	768.0	841.0	73.0	234.1	256.3	22.3	0.23	0.04	0.001
ECM-448	enriched	433.2	458.0	24.8	132.0	139.6	7.6	0.51	0.50	0.005
	enriched	558.8	648.0	89.2	170.3	197.5	27.2	0.20	0.19	0.004
	including	568.0	598.0	30.0	173.1	182.3	9.1	0.32	0.31	0.003
	enriched	688.0	746.0	58.0	209.7	227.4	17.7	0.11	0.11	0.003
ECM-449	enriched	348.0	368.0	20.0	106.1	112.2	6.1	0.15	0.14	0.004
	enriched	588.0	666.0	78.0	179.2	203.0	23.8	0.22	0.21	0.001
	enriched	806.0	842.0	36.0	245.7	256.6	11.0	0.13	0.09	0.001
ECM-450	enriched	358.0	580.0	222.0	109.1	176.8	67.7	0.36	0.35	0.002
	including	375.3	428.0	52.7	114.4	130.5	16.1	0.60	0.59	0.003
ECM-451	enriched	461.7	571.8	110.1	140.7	174.3	33.6	0.34	0.31	0.002
ECM-452	d and redrilled by ECM-452A									
ECM-452A	enriched	395.3	571.5	176.2	120.5	174.2	53.7	0.96	0.93	0.002
ECM-452A	including	478.0	508.0	30.0	145.7	154.8	9.1	2.25	2.21	0.003
ECM-453	enriched	493.6	529.3	35.7	150.4	161.3	10.9	1.04	1.02	0.002
	enriched	570.0	640.0	70.0	173.7	195.1	21.3	0.24	0.21	0.001
	primary	640.0	680.0	40.0	195.1	207.3	12.2	0.25	0.05	0.001
ECM-454	enriched	453.2	729.0	275.8	138.1	222.2	84.1	0.38	0.36	0.002
	including	453.2	543.0	89.8	138.1	165.5	27.4	0.76	0.75	0.002
	primary	729.0	760.0	31.0	222.2	231.6	9.4	0.22	0.04	0.001
ECM-455	enriched	358.0	634.0	276.0	109.1	193.2	84.1	0.32	0.31	0.002
	including	358.0	438.0	80.0	109.1	133.5	24.4	0.51	0.50	0.002
	enriched	712.0	795.0	83.0	217.0	242.3	25.3	0.13	0.13	0.003
	including	712.0	742.0	30.0	217.0	226.2	9.1	0.27	0.25	0.002
ECM-456	enriched	461.0	561.0	100.0	140.5	171.0	30.5	0.35	0.34	0.002
	enriched	591.0	734.0	143.0	180.1	223.7	43.6	0.14	0.11	0.002
ECM-457	oxide	186.0	206.0	20.0	56.7	62.8	6.1	0.26	0.12	0.001
	enriched	388.5	493.0	104.5	118.4	150.3	31.9	0.39	0.39	0.002
	enriched	543.0	715.0	172.0	165.5	217.9	52.4	0.23	0.22	0.003
	including	554.8	595.0	40.2	169.1	181.4	12.3	0.56	0.55	0.002
ECM-458	oxide	366.0	391.6	25.6	111.6	119.4	7.8	0.23	0.22	0.003
	enriched	452.0	610.0	158.0	137.8	185.9	48.2	0.24	0.23	0.001
	enriched	670.0	721.0	51.0	204.2	219.8	15.5	0.14	0.08	0.001
	primary	721.0	765.3	44.3	219.8	233.3	13.5	0.13	0.03	0.001
ECM-459	oxide	135.0	158.0	23.0	41.1	48.2	7.0	1.29	1.17	0.002

	enriched	455.0	607.0	152.0	138.7	185.0	46.3	0.27	0.27	0.004
	including	489.3	557.0	67.7	149.1	169.8	20.6	0.48	0.48	0.001
ECM-460	enriched	372.7	620.0	247.3	113.6	189.0	75.4	0.17	0.16	0.001
	including	500.0	520.4	20.4	152.4	158.6	6.2	0.41	0.39	0.002
	and	543.0	573.0	30.0	165.5	174.7	9.1	0.38	0.37	0.001
	enriched	690.0	757.0	67.0	210.3	230.7	20.4	0.41	0.14	0.001
	including	737.0	757.0	20.0	224.6	230.7	6.1	1.08	0.31	0.001
ECM-461	oxide	140.0	161.3	21.3	42.7	49.2	6.5	0.64	0.61	0.001
	enriched	393.6	649.0	255.4	120.0	197.8	77.8	0.20	0.19	0.002
	enriched	778.0	815.0	37.0	237.1	248.4	11.3	0.14	0.14	0.001
ECM-462	oxide	133.0	156.7	23.7	40.5	47.8	7.2	0.58	0.50	0.001
	enriched	342.0	616.0	274.0	104.2	187.8	83.5	0.24	0.23	0.002
	including	489.4	511.4	22.0	149.2	155.9	6.7	0.39	0.37	0.001
	and	530.0	550.0	20.0	161.5	167.6	6.1	0.48	0.45	0.001
	enriched	670.0	710.0	40.0	204.2	216.4	12.2	0.19	0.18	0.001
	enriched	751.0	781.0	30.0	228.9	238.0	9.1	0.16	0.06	0.001
ECM-463	leached	249.0	269.1	20.1	75.9	82.0	6.1	0.14	0.07	0.002
	enriched	330.0	548.0	218.0	100.6	167.0	66.4	0.44	0.43	0.002
	including	342.7	368.0	25.3	104.5	112.2	7.7	0.96	0.94	0.002
ECM-464	enriched	348.0	594.0	246.0	106.1	181.1	75.0	0.37	0.36	0.001
	including	410.3	452.6	42.3	125.1	138.0	12.9	0.57	0.55	0.001
ECM-465	oxide	427.0	512.7	85.7	130.1	156.3	26.1	1.07	0.99	0.004
	primary	617.0	637.0	20.0	188.1	194.2	6.1	0.11	0.02	0.001
ECM-466	enriched	523.7	548.0	24.3	159.6	167.0	7.4	0.33	0.28	0.001
	enriched	581.6	621.3	39.7	177.3	189.4	12.1	0.12	0.11	0.002
ECM-467	oxide	277.4	317.0	39.6	84.6	96.6	12.1	0.19	0.16	0.002
	enriched	411.3	639.3	228.0	125.4	194.9	69.5	0.29	0.28	0.001
	including	492.0	512.0	20.0	150.0	156.1	6.1	1.06	1.04	0.002
	primary	639.3	748.0	108.7	194.9	228.0	33.1	0.13	0.01	0.001
ECM-468	oxide	163.0	260.0	97.0	49.7	79.2	29.6	0.42	0.39	0.004
	enriched	370.0	698.9	328.9	112.8	213.0	100.2	0.32	0.30	0.001
	including	441.4	518.0	76.6	134.5	157.9	23.3	0.52	0.52	0.001
	primary	698.9	755.0	56.1	213.0	230.1	17.1	0.23	0.05	0.001
ECM-469	oxide	241.1	266.6	25.5	73.5	81.3	7.8	0.25	0.18	0.001
	enriched	388.0	461.0	73.0	118.3	140.5	22.3	0.31	0.31	0.002
ECM-470	oxide	138.0	168.0	30.0	42.1	51.2	9.1	1.11	0.97	0.001
	enriched	442.4	576.2	133.8	134.8	175.6	40.8	0.14	0.13	0.001
	enriched	612.0	756.9	144.9	186.5	230.7	44.2	0.19	0.18	0.001
	including	639.7	675.0	35.3	195.0	205.7	10.8	0.33	0.32	0.001
ECM-471	oxide	215.8	237.4	21.6	65.8	72.4	6.6	0.21	0.10	0.001
	enriched	348.4	559.0	210.6	106.2	170.4	64.2	0.25	0.25	0.001
	including	431.0	461.0	30.0	131.4	140.5	9.1	0.40	0.40	0.001
ECM-472	enriched	422.0	517.0	95.0	128.6	157.6	29.0	0.32	0.31	0.001
ECM-473	enriched	296.0	453.6	157.6	90.2	138.3	48.0	0.21	0.20	0.004

	including	378.0	399.5	21.5	115.2	121.8	6.6	0.43	0.43	0.002
	enriched	485.0	554.6	69.6	147.8	169.0	21.2	0.18	0.18	0.001
ECM-474	oxide	351.0	478.0	127.0	107.0	145.7	38.7	0.31	0.26	0.002
	including	409.0	439.0	30.0	124.7	133.8	9.1	0.59	0.51	0.001
	oxide	528.0	548.0	20.0	160.9	167.0	6.1	0.21	0.17	0.001
	enriched	558.0	595.0	37.0	170.1	181.4	11.3	0.43	0.41	0.001
ECM-475	enriched	488.0	508.0	20.0	148.7	154.8	6.1	0.12	0.12	0.005
	enriched	548.0	662.0	114.0	167.0	201.8	34.7	0.42	0.42	0.001
ECM-476	oxide	380.3	470.7	90.4	115.9	143.5	27.6	0.37	0.32	0.002
	oxide	496.3	519.0	22.7	151.3	158.2	6.9	0.15	0.10	0.001
ECM-477	oxide	267.0	318.5	51.5	81.4	97.1	15.7	0.25	0.23	0.003
	enriched	356.9	450.0	93.1	108.8	137.2	28.4	1.72	1.65	0.002
	including	356.9	377.0	20.1	108.8	114.9	6.1	6.19	5.95	0.002
	enriched	597.0	635.0	38.0	182.0	193.5	11.6	0.30	0.29	0.001
ECM-479	oxide	309.0	348.0	39.0	94.2	106.1	11.9	0.51	0.50	0.004
	enriched	498.0	618.0	120.0	151.8	188.4	36.6	0.51	0.27	0.001
	including	597.5	618.0	20.5	182.1	188.4	6.2	1.69	0.38	0.001
ECM-480	enriched	231.0	714.0	483.0	70.4	217.6	147.2	0.55	0.54	0.001
	including	354.6	381.6	27.0	108.1	116.3	8.2	0.96	0.95	0.001
	and	619.3	674.2	54.9	188.8	205.5	16.7	1.49	1.48	0.001
ECM-483	oxide	138.0	195.4	57.4	42.1	59.6	17.5	0.37	0.30	0.001
	enriched	362.0	466.0	104.0	110.3	142.0	31.7	0.42	0.40	0.001
	including	421.0	451.7	30.7	128.3	137.7	9.4	0.71	0.69	0.001
	enriched	653.0	685.0	32.0	199.0	208.8	9.8	0.23	0.21	0.001
ECM-486	oxide	186.8	211.0	24.2	56.9	64.3	7.4	0.78	0.72	0.001
	enriched	293.4	458.0	164.6	89.4	139.6	50.2	0.51	0.50	0.001
	including	293.4	317.3	23.9	89.4	96.7	7.3	1.39	1.38	0.001
ECM-491	significant intercepts									
ECM-498	oxide	155.3	238.0	82.7	47.3	72.5	25.2	0.17	0.10	0.002
	enriched	410.0	463.0	53.0	125.0	141.1	16.2	0.52	0.50	0.001
	enriched	522.0	542.0	20.0	159.1	165.2	6.1	0.48	0.47	0.003

1. Grade Thickness = CuT % x Vertical Thickness (ft). Grade thickness calculations include the entire assayed mineralization package down hole. No grade cutoffs or grade capping has been applied.
2. For further details on the FS Drill Program, refer to the Company's referenced press release (including Quality Assurance / Quality Control notes and Cautionary Statements) available on the Company's website and on www.sedarplus.ca.